

Interactive Sound Propagation using Frustum Tracing


Background and Challenge

Modeling the acoustic properties of a virtual environment is an important step in simulating the acoustic response of building such as auditorium. It is also gaining importance for interactive applications such as games or virtual environments, where spatialized sound adds a stronger immersion effect. In practice, realistic sound can only be achieved by simulation of the sound waves from the source sources to the listener. The result is spatial sound that adds directly to the immersion of the application by giving an intuitive impression of the environment.

Due to the complexity of numerical simulation, current interactive sound simulators commonly use geometric methods that explicitly simulate the propagation of sound as it is reflected and refracted in the environment. However, existing algorithms have limitations that prevent them from being used in current interactive applications: they are mostly limited to static scenes, do not scale well with scene complexity or introduce aliasing artifacts. However, both dynamic and geometrically complex environments are very common in those applications.

Frustum Tracing

We present a novel approach for interactive sound rendering in dynamic and complex environments. We build on the recent results in the field of interactive ray tracing, and specially ray-packet tracing. However, we use a volumetric tracing representation using frusta as opposed to tracing individual rays, in order to overcome aliasing artifacts. An adaptive approach ensures that the size of the frusta is chosen as needed and also allows to trade off quality for speed when needed. In addition, we show how to perform diffraction using our algorithm.



Our frustum representation (right) is a discrete approximation of a complex beam shape (left).

Advantages


Our new approach has several advantages on previous methods: first, since we can use standard ray tracing structures such as bounding volume hierarchies (BVHs), we are much more general in the kind of scenes that can be handled by the algorithm, and we can also use dynamic environments by updating the BVH structure at runtime. Second, the fact that we use a volumetric representation allows us to preserve the advantages of beam tracing in that there is no aliasing problem such as in stochastic path tracing, which is important in interactive applications where such artifacts would be noticeable. Finally, the frustum subdivision in our algorithm introduces a sampling parameter that can be changed at any time to easily trade off speed for quality, which is an important aspect in many applications where guaranteed speed is paramount.

Results


We tested the algorithm on a variety of scenes from games and architecture with complexity ranging from 14k to 196k triangles, including dynamic scenes and moving sound sources. Even with reflection depth up to 6 reflections, we show that our system is capable of performing sound simulation at interactive rates on a current multicore desktop machine.

Members

Dinesh Manocha
Anish Chandak
Christian Lauterbach



Overview of our sound system for interactive applications. The simulation runs asynchronously to the rendering process and generates the impulse response function (IRF), which describes when reflected sound waves arrive at the listener position. The result is then applied to the sound signal via a filter operation, which results in the sound that is played in the application.



Animated Theater scene with curtains opening (top row) and the top-down view showing the simulation at the same time (bottom row)

Research Sponsors

U.S. Army Research Office, National Science Foundation, Office of Naval Research, DARPA, Intel, RDECOM

Publications

- C. Lauterbach, A. Chandak, and D. Manocha. "Interactive Sound Propagation in Dynamic Scenes Using Frustum Tracing", IEEE TVCG (Proc. IEEE Visualization 2007),.
- N. Raghuvanshi, C. Lauterbach, A. Chandak, D. Manocha, and M. Lin. "Real-time Sound

- Synthesis for Computer Games", Comm. ACM, Vol. 50, No. 7 (July 2007), pp 66-73
- C. Lauterbach, A. Chandak, and D. Manocha. "Adaptive Sampling for Frustum-based Sound Propagation in Complex and Dynamic Environments", 19th International Congress on Acoustics, 2007
- A. Chandak, C. Lauterbach, and D. Manocha. "Adaptive Ray-Frustum Tracing for Interactive Sound Propagation in Complex Environments", Technical Report, Department of Computer Science, University of North Carolina at Chapel Hill, 2007